

# GEN II HORIZONTAL SLIDE DOOR

**TYPE & THICKNESS OF DOOR:**

COOLER                      FREEZER                      4" THICK                      6" THICK

**OPENING SIZE:**

FINISHED OPENING WIDTH (W.I.C.):  
 FINISHED OPENING HEIGHT (H.I.C.):                      WALL THICKNESS:

**OPENING DIRECTION:**

LEFT (LH)                      RIGHT (RH)

**ENTER ROOM TEMPERATURES:**

TEMPERATURE WALL SIDE:                      F (PLEASE PROVIDE)  
 TEMPERATURE TRACK SIDE:                      F (PLEASE PROVIDE)

**CLADDING - TRACK SIDE:**

EMBOSSD WHITE GALVALUME                      SMOOTH WHITE GALVALUME  
 SMOOTH GALVALUME                      STAINLESS STEEL, #4 FINISH  
 EMBOSSD GALVALUME  
 EMBOSSD WHITE ALUMINUM  
 EMBOSSD MILL ALUMINUM  
 CUSTOM

**CLADDING - WALL SIDE:**

EMBOSSD WHITE GALVALUME                      SMOOTH WHITE GALVALUME  
 SMOOTH GALVALUME                      STAINLESS STEEL, #4 FINISH  
 EMBOSSD GALVALUME  
 EMBOSSD WHITE ALUMINUM  
 EMBOSSD MILL ALUMINUM  
 CUSTOM

**VISION WINDOW:**

HEATED                      NON-HEATED                      14" x 14"                      14" x 24"

**KICK PLATE - TRACK SIDE:**

1/16" DIAMOND PLATE                      1/8" DIAMOND PLATE                      SS 16GA 304  
 GALV. STEEL 16 GA                      SS 20GA 201#4  
 12" TALL                      24" TALL                      36" TALL                      48" TALL                      Other:

**KICK PLATE - WALL SIDE:**

1/16" DIAMOND PLATE                      1/8" DIAMOND PLATE                      SS 16GA 304  
 GALV. STEEL 16 GA                      SS 20GA 201#4  
 12" TALL                      24" TALL                      36" TALL                      48" TALL                      Other:

**CASINGS AND HEADER:**

**TRACK SIDE:**  
 MOLDED PLASTIC POLYMER (MPP)(STD)                      METAL CLAD MPP  
 1" CAREFREE                      1.5" CAREFREE

**MIRROR SIDE (OPTIONAL):**

MOLDED PLASTIC POLYMER (MPP)                      METAL CLAD MPP  
 1" CAREFREE                      1.5" CAREFREE

**THRU WALL (OPTIONAL):**

MOLDED PLASTIC POLYMER (MPP)                      METAL CLAD MPP  
 1" CAREFREE                      1.5" CAREFREE

**PANEL HARDWARE:**

LOCK & RELEASE

**FASTENERS:**

THROUGH WALL BOLTS, ZINC  
 THROUGH WALL BOLTS, SS  
 LAG BOLTS  
 SS LAG BOLTS  
 CUSTOM

**ADDITIONAL OPTIONS:**

ELEVATED COOLER/FREEZER FLOOR                      FLOOR THICKNESS:  
 CASING PROTECTORS                      COIL CORD (MANUAL ONLY)  
 EZ OPEN HANDLE BACKSIDE                      EZ OPEN HANDLE FRONTSIDE  
 JAMB WALL CAPS, NO INSERTS                      JAMB WALL CAPS WITH INSERTS  
 TRACKHOOD  
 OUTER WIDTH:                      OUTER HEIGHT:  
 INSET JAMB:                      INSET HEAD:

- 1) Lead times begin once all full and final details of drawings are approved.
- 2) All full and final details need approved within 5 business days to secure the quoted lead time. If not received within 5 business days, a new lead time will be provided once the final drawings are approved.



Tel: (800) 543-4455    www.chasedoors.com    FAX: (800) 978-6570

JOB		CUSTOMER NO:		NO. PRINTS	FOR	DATE	REVISED
		ORDER NO:					
		DRAWN BY:					
	SOLD TO		SHEET	OF			

# GEN II HORIZONTAL SLIDE DOOR

**POWER OPERATOR OPTIONS ONLY**

**OPERATOR:**

ELECTRICALLY OPERATED

**VOLTAGE:**

120/1/60	240/1/60
208/3/60	230/3/60
460/3/60	

**CONTROLS:**

STEP CONTROL (PULL TO OPEN, PULL TO CLOSE)  
 TIMER TO CLOSE (PULL TO OPEN, TIME DELAY TO CLOSE)  
 3-BUTTON CONTROL (OPEN, CLOSE, STOP)

**SAFETY DEVICES:**

PRESENCE SENSOR	QTY:
REVERSING EDGE	QTY:
PHOTO EYE SENSOR	QTY:

**ACTUATION:**

**INSIDE**

PULL CORD QTY:

NOTE: HEATED PULL CORD STANDARD FOR FREEZER DOORS.

MOTION SENSOR QTY:

**OUTSIDE**

HEATED PULL CORD QTY:

NON-HEATED PULL CORD QTY:

1-BUTTON STATION, NEMA 4 QTY:

3-BUTTON STATION, NEMA 4 QTY:

6" PTO WALL SWITCH QTY:

6" PTO WALL SWITCH WATER RESISTANT QTY:

MOTION SENSOR QTY:

**ADDITIONAL**

HEATED PULL CORD QTY:

NON-HEATED PULL CORD QTY:

1-BUTTON STATION, NEMA 4 QTY:

3-BUTTON STATION, NEMA 4 QTY:

6" PTO WALL SWITCH QTY:

6" PTO WALL SWITCH WATER RESISTANT QTY:

MOTION SENSOR QTY:

**RADIO CONTROL**

TRANSMITTER 1-BUTTON QTY:

TRANSMITTER 2-BUTTON QTY:

**APPLICATION (REQUIRED):**

- |    |   |     |    |
|----|---|-----|----|
| 1. | IS THIS DOOR ON A BOX GREATER THAN 3000 SQ FEET?  | YES | NO |
| 2. | IF NO, IS BOX LOCATED IN COLD STORAGE FACILITY/ATMOSPHERE WITH FLOOR AREA 3000 SQ FEET OR LARGER? (A/C IS NOT COLD STORAGE) | YES | NO |
| 3. | DOES THIS APPLICATION INVOLVE MEDICAL, SCIENTIFIC, OR RESEARCH FACILITIES?  | YES | NO |





**SPECIAL INSTRUCTIONS TO MANUFACTURER:**



Tel: (800) 543-4455    www.chasedoors.com    FAX: (800) 978-6570

JOB		CUSTOMER NO:		NO. PRINTS	FOR	DATE	REVISED
		ORDER NO:					
		DRAWN BY:					
	SOLD TO		SHEET	OF			

# GEN II HORIZONTAL SLIDE DOOR



SLIDE PLAN

JOB		CUSTOMER NO:		NO. PRINTS	FOR	DATE	REVISED
		ORDER NO:					
SOLD TO		DRAWN BY:					
		SHEET	OF				