

MANUAL VERTICAL LIFT DOOR WITH COUNTERBALANCE SYSTEM

TYPE & THICKNESS OF DOOR:

COOLER FREEZER 4" THICK 6" THICK

OPENING SIZE:

FINISHED OPENING WIDTH (W.I.C.):
 FINISHED OPENING HEIGHT (H.I.C.): WALL THICKNESS:

ENTER ROOM TEMPERATURES:

TEMPERATURE WALL SIDE: F (PLEASE PROVIDE)
 TEMPERATURE TRACK SIDE: F (PLEASE PROVIDE)

CLADDING - TRACK SIDE:

EMBOSSD WHITE GALVALUME	SMOOTH WHITE GALVALUME
EMBOSSD BLACK GALVALUME	SMOOTH GALVALUME
EMBOSSD GALVALUME	STAINLESS STEEL, #4 FINISH
EMBOSSD WHITE ALUMINUM	
EMBOSSD MILL ALUMINUM	
CUSTOM	

CLADDING - WALL SIDE:

EMBOSSD WHITE GALVALUME	SMOOTH WHITE GALVALUME
EMBOSSD BLACK GALVALUME	SMOOTH GALVALUME
EMBOSSD GALVALUME	STAINLESS STEEL, #4 FINISH
EMBOSSD WHITE ALUMINUM	
EMBOSSD MILL ALUMINUM	
CUSTOM	

VISION WINDOW:

HEATED NON-HEATED 14" x 14" 14" x 24"

KICK PLATE - TRACK SIDE:

1/16" DIAMOND PLATE	1/8" DIAMOND PLATE	STAINLESS STEEL
12" TALL 24" TALL	36" TALL 48" TALL	Other:

KICK PLATE - WALL SIDE:

1/16" DIAMOND PLATE	1/8" DIAMOND PLATE	STAINLESS STEEL
12" TALL 24" TALL	36" TALL 48" TALL	Other:

CASINGS AND HEADER:

TRACK SIDE:

MOLDED PLASTIC POLYMER (MPP)	METAL CLAD MPP
1" CAREFREE	1.5" CAREFREE

MIRROR SIDE:

MOLDED PLASTIC POLYMER (MPP)	METAL CLAD MPP
1" CAREFREE	1.5" CAREFREE

THRU WALL:

MOLDED PLASTIC POLYMER (MPP)	METAL CLAD MPP
1" CAREFREE	1.5" CAREFREE

COUNTER BALANCE SYSTEM:

WEIGHTS
 TORSION SPRINGS

LOCKING:

LOCK TRACK SIDE
 LOCK TRACK SIDE, CYLINDER OPPOSITE, T-HANDLE BOTH SIDES,

ADDITIONAL OPTIONS:

CHAIN HOIST		
ELEVATED COOLER/FREEZER FLOOR		FLOOR THICKNESS:
JAMB WALL CAPS, NO INSERTS		JAMB WALL CAPS WITH INSERTS
OUTER WIDTH:	OUTER HEIGHT:	INSET:

- 1) Lead times begin once all full and final details of drawings are approved.
- 2) All full and final details need approved within 5 business days to secure the quoted lead time. If not received within 5 business days, a new lead time will be provided once the final drawings are approved.



Tel: (800) 543-4455 www.chasedoors.com FAX: (800) 978-6570

JOB		CUSTOMER NO:		NO. PRINTS	FOR	DATE	REVISED
		CHASE ORDER NO:					
		DRAWN BY:					
	SOLD TO		SHEET	OF			

MANUAL VERTICAL LIFT DOOR WITH COUNTERBALANCE SYSTEM

WICKET DOOR OPTIONS

SIZING:
 WIDTH: **HANDING:**
 HEIGHT: HINGED ON LEFT
 HINGED ON RIGHT

HINGE DETAILS:
 STANDARD CHROME STANDARD WHITE
 STAINLESS STEEL
 HINGE QTY:

PULL SIDE LATCH DETAILS:
 CHROME K-56 W/ PADLOCKING CHROME K-56 W/ KEY LOCK
 SOFT TOUCH W/ PADLOCKING SOFT TOUCH W/ KEY LOCK
 STAINLESS W/ PADLOCKING STAINLESS W/ KEY LOCK
 WHITE K-56 W/ PADLOCKING WHITE K-56 W/ KEY LOCK

PUSH SIDE LATCH DETAILS:
 RECESSED INSIDE RELEASE

CLOSER:
 STD CLOSER
 HEAVY DUTY CLOSER
 HEAVY DUTY CLOSER, SS

APPLICATION (REQUIRED):


- | | | | |
|----|---|-----|----|
| 1. | IS THIS DOOR ON A BOX GREATER THAN 3000 SQ FEET? | YES | NO |
| 2. | IF NO, IS BOX LOCATED IN COLD STORAGE FACILITY/ATMOSPHERE WITH FLOOR AREA 3000 SQ FEET OR LARGER? (A/C IS NOT COLD STORAGE) | YES | NO |
| 3. | DOES THIS APPLICATION INVOLVE MEDICAL, SCIENTIFIC, OR RESEARCH FACILITIES? | YES | NO |

SPECIAL INSTRUCTIONS TO MANUFACTURER:



JOB		CUSTOMER NO:		NO. PRINTS	FOR	DATE	REVISED
		CHASE ORDER NO:					
		DRAWN BY:					
	SOLD TO		SHEET	OF			

MANUAL VERTICAL LIFT DOOR WITH COUNTERBALANCE SYSTEM



JOB	CUSTOMER NO:		NO. PRINTS	FOR	DATE	REVISED
	CHASE ORDER NO:					
SOLD TO	DRAWN BY:					
	SHEET OF					